

Cancer Deaths in Alaska, 1996 to 2006, by Sex

Session Type: Rate

Suggested Citation

Software: Surveillance Research Program, National Cancer Institute SEER*Stat software (www.seer.cancer.gov/seerstat) version 6.5.2.
Data: Alaska Bureau of Vital Status SEER*Stat Database - Mortality data for death years 1996 to 2006. Released February 2009. Alaska population data for rate calculations are from the SEER Program (<http://www.seer.cancer.gov/popdata/>) and include populations by borough/census area, expanded races, and Hispanic origin.

Data

Database: AK Mortality w/Borough, Race, & Hispanic Pops (1996-2006), May 2009

Statistic

Statistic: Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census P25-1130) standard)
P-Values: .05
Options: Display Confidence Intervals (Tiwari mod) and Standard Errors

Selection

Select Only: Known Age, Male or Female Sex

Table

Page: Year of death

Row: COD recode with Kaposi and mesothelioma

Column: Sex - M & F only [Sex]

Output

Title: Cancer Deaths in Alaska, 1996 to 2006, by Sex
Suppress: Statistics based on fewer than 6 cases
Display Rates as: Cases per 100,000
Precision: 1 decimal place (default)

Cancer Deaths in Alaska, 1996 to 2006, by Sex

Total

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	226.6	218.7	234.7	4,140	164.2	158.4	170.0	3,456
Oral Cavity and Pharynx	4.3	3.4	5.4	95	2.4	1.8	3.2	49
Lip	^	^	^	^	0.0	0.0	0.1	0
Tongue	0.7	0.4	1.2	15	0.4	0.1	0.7	8
Salivary Gland	0.5	0.2	1.0	7	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	0.1	0
Gum and Other Mouth	0.6	0.3	1.0	13	^	^	^	^
Nasopharynx	1.0	0.6	1.6	24	0.8	0.4	1.3	16
Tonsil	0.2	0.1	0.4	6	0.0	0.0	0.1	0
Oropharynx	0.4	0.2	0.8	8	^	^	^	^
Hypopharynx	^	^	^	^	^	^	^	^
Other Oral Cavity and Pharynx	0.7	0.4	1.2	17	0.6	0.3	1.1	12
Digestive System	59.7	55.7	63.8	1,122	38.5	35.7	41.4	764
Esophagus	7.7	6.4	9.3	158	2.5	1.8	3.3	50
Stomach	8.0	6.6	9.5	155	3.6	2.8	4.5	81
Small Intestine	0.3	0.1	0.7	7	0.5	0.2	0.8	10
Colon and Rectum	22.1	19.6	24.7	382	16.1	14.3	18.1	305
Colon excluding Rectum	18.3	16.0	20.8	307	13.0	11.4	14.8	244
Rectum and Rectosigmoid Junction	3.7	2.8	4.8	75	3.1	2.4	4.0	61
Anus, Anal Canal and Anorectum	^	^	^	^	0.3	0.1	0.6	8
Liver and Intrahepatic Bile Duct	7.8	6.4	9.3	164	3.9	3.1	4.9	80
Liver	6.5	5.3	7.9	137	2.6	1.9	3.5	53
Intrahepatic Bile Duct	1.2	0.8	1.9	27	1.3	0.8	1.9	27
Gallbladder	0.9	0.5	1.6	16	0.5	0.2	1.0	9
Other Biliary	0.5	0.2	1.1	9	0.4	0.1	0.7	7
Pancreas	11.9	10.2	13.8	222	9.6	8.3	11.1	195
Retroperitoneum	^	^	^	^	0.0	0.0	0.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.2	0	^	^	^	^
Other Digestive Organs	^	^	^	^	0.8	0.5	1.4	14
Respiratory System	68.9	64.7	73.2	1,304	45.6	42.6	48.7	937
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	1.4	0.8	2.1	26	^	^	^	^
Lung and Bronchus	67.4	63.3	71.7	1,275	45.1	42.1	48.2	928
Pleura	0.0	0.0	0.2	0	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	0.1	0
Bones and Joints	0.3	0.2	0.6	13	0.2	0.1	0.5	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

Total

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	1.6	1.0	2.3	40	0.9	0.5	1.3	23
Skin excluding Basal and Squamous	3.4	2.6	4.3	85	1.6	1.1	2.2	41
Melanoma of the Skin	2.7	2.0	3.5	67	1.3	0.9	1.9	36
Other Non-Epithelial Skin	0.7	0.4	1.2	18	^	^	^	^
Breast	^	^	^	^	23.0	21.0	25.1	555
Female Genital System	0.0	0.0	0.2	0	13.6	12.0	15.3	304
Cervix Uteri	0.0	0.0	0.2	0	1.9	1.4	2.5	55
Corpus and Uterus, NOS	0.0	0.0	0.2	0	2.8	2.1	3.7	55
Corpus Uteri	0.0	0.0	0.2	0	1.5	1.0	2.2	31
Uterus, NOS	0.0	0.0	0.2	0	1.3	0.8	1.9	24
Ovary	0.0	0.0	0.2	0	7.2	6.1	8.5	162
Vagina	0.0	0.0	0.2	0	^	^	^	^
Vulva	0.0	0.0	0.2	0	0.8	0.4	1.3	15
Other Female Genital Organs	0.0	0.0	0.2	0	0.6	0.3	1.0	13
Male Genital System	24.8	21.8	27.9	314	0.0	0.0	0.1	0
Prostate	24.3	21.4	27.5	303	0.0	0.0	0.1	0
Testis	^	^	^	^	0.0	0.0	0.1	0
Penis	^	^	^	^	0.0	0.0	0.1	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	0.1	0
Urinary System	15.1	13.1	17.4	244	4.6	3.7	5.7	86
Urinary Bladder	8.6	7.0	10.4	119	2.1	1.5	3.0	37
Kidney and Renal Pelvis	6.2	5.0	7.6	120	2.4	1.7	3.2	47
Ureter	^	^	^	^	0.0	0.0	0.1	0
Other Urinary Organs	^	^	^	^	^	^	^	^
Eye and Orbit	^	^	^	^	^	^	^	^
Brain and Other Nervous System	5.2	4.2	6.3	132	3.2	2.5	4.0	79
Endocrine System	0.7	0.3	1.3	13	0.5	0.2	0.9	12
Thyroid	0.4	0.1	1.0	6	^	^	^	^
Other Endocrine including Thymus	0.3	0.1	0.6	7	0.2	0.1	0.4	7
Lymphoma	9.2	7.7	10.9	184	6.3	5.2	7.6	124
Hodgkin Lymphoma	0.4	0.2	0.7	12	0.4	0.2	0.8	9
Non-Hodgkin Lymphoma	8.8	7.3	10.5	172	5.9	4.8	7.1	115
Myeloma	3.9	2.9	5.1	67	3.6	2.8	4.5	71
Leukemia	9.2	7.6	11.0	167	5.6	4.5	6.8	113
Lymphocytic Leukemia	3.9	2.9	5.2	61	2.0	1.3	2.8	34
Acute Lymphocytic Leukemia	0.8	0.4	1.4	20	0.3	0.1	0.6	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

Total

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	2.8	1.8	3.9	35	1.5	0.9	2.2	23
Other Lymphocytic Leukemia	0.4	0.1	0.9	6	^	^	^	^
Myeloid and Monocytic Leukemia	3.7	2.8	4.8	80	2.3	1.7	3.0	55
Acute Myeloid Leukemia	2.7	2.0	3.6	59	1.6	1.1	2.3	41
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	0.1	0
Chronic Myeloid Leukemia	0.7	0.4	1.3	16	0.5	0.2	0.9	11
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^
Other Leukemia	1.6	0.9	2.4	26	1.3	0.8	2.0	24
Other Acute Leukemia	0.5	0.2	1.0	8	0.5	0.2	0.9	8
Aleukemic, Subleukemic and NOS	1.1	0.6	1.8	18	0.9	0.5	1.4	16
Mesothelioma (ICD-10 only)	2.4	1.5	3.4	31	^	^	^	^
Miscellaneous Malignant Cancer	17.8	15.6	20.1	325	14.4	12.7	16.3	286

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

1996

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	266.5	234.2	301.4	356	191.1	168.2	216.0	295
Oral Cavity and Pharynx	6.4	2.4	13.0	9	^	^	^	^
Lip	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	^	^	^	^	0.0	0.0	2.0	0
Floor of Mouth	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	2.0	0
Nasopharynx	^	^	^	^	0.0	0.0	2.0	0
Tonsil	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Oropharynx	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Hypopharynx	^	^	^	^	0.0	0.0	2.0	0
Other Oral Cavity and Pharynx	0.0	0.0	2.8	0	^	^	^	^
Digestive System	70.4	53.8	89.8	90	42.4	31.6	55.3	60
Esophagus	6.4	2.0	14.0	8	^	^	^	^
Stomach	15.7	8.9	25.1	23	3.6	1.1	8.2	6
Small Intestine	^	^	^	^	0.0	0.0	2.0	0
Colon and Rectum	29.3	18.6	43.1	34	21.9	14.2	31.8	28
Colon excluding Rectum	24.6	14.7	37.7	28	18.8	11.7	28.1	24
Rectum and Rectosigmoid Junction	4.7	1.5	10.6	6	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	2.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	2.8	0	^	^	^	^
Gallbladder	^	^	^	^	0.0	0.0	2.0	0
Other Biliary	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Pancreas	13.7	7.0	23.5	16	12.0	6.8	19.1	19
Retroperitoneum	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Other Digestive Organs	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Respiratory System	85.4	68.2	105.1	113	50.1	38.8	63.3	74
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Larynx	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Lung and Bronchus	85.0	67.8	104.6	112	50.1	38.8	63.3	74
Pleura	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	2.0	0
Bones and Joints	^	^	^	^	0.0	0.0	2.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

1996

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	7.5	3.4	14.0	13	^	^	^	^
Melanoma of the Skin	6.5	2.7	12.9	11	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	2.0	0
Breast	0.0	0.0	2.8	0	28.8	20.9	38.6	53
Female Genital System	0.0	0.0	2.8	0	15.2	9.5	22.9	25
Cervix Uteri	0.0	0.0	2.8	0	2.7	1.0	6.0	6
Corpus and Uterus, NOS	0.0	0.0	2.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	2.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	2.8	0	^	^	^	^
Ovary	0.0	0.0	2.8	0	8.3	4.2	14.5	13
Vagina	0.0	0.0	2.8	0	^	^	^	^
Vulva	0.0	0.0	2.8	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	2.8	0	^	^	^	^
Male Genital System	20.0	11.1	32.1	20	0.0	0.0	2.0	0
Prostate	19.0	10.2	31.0	18	0.0	0.0	2.0	0
Testis	^	^	^	^	0.0	0.0	2.0	0
Penis	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	2.0	0
Urinary System	19.3	11.2	30.3	22	8.0	3.7	14.5	10
Urinary Bladder	11.3	5.0	20.7	11	^	^	^	^
Kidney and Renal Pelvis	6.9	3.0	13.3	10	6.8	3.0	12.8	9
Ureter	^	^	^	^	0.0	0.0	2.0	0
Other Urinary Organs	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Eye and Orbit	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Brain and Other Nervous System	6.7	3.6	11.5	17	3.1	0.9	7.4	6
Endocrine System	^	^	^	^	0.0	0.0	2.0	0
Thyroid	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	2.0	0
Lymphoma	8.5	4.3	15.0	16	9.2	4.7	15.7	13
Hodgkin Lymphoma	0.0	0.0	2.8	0	^	^	^	^
Non-Hodgkin Lymphoma	8.5	4.3	15.0	16	8.6	4.3	15.1	12
Myeloma	9.0	3.0	18.9	7	3.8	1.3	8.3	6
Leukemia	10.9	5.0	19.7	16	7.2	3.1	13.5	10
Lymphocytic Leukemia	5.9	1.6	13.9	6	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	2.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

1996

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Myeloid and Monocytic Leukemia	2.7	1.1	6.1	8	3.9	1.2	8.8	6
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	2.0	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.8	0	^	^	^	^
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	2.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2.8	0	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	2.8	0	0.0	0.0	2.0	0
Miscellaneous Malignant Cancer	20.1	12.3	30.5	27	19.0	12.2	27.9	28

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~
Statistic could not be calculated.

^
Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

1997

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	230.0	201.1	261.3	337	169.2	148.5	191.6	278
Oral Cavity and Pharynx	5.3	2.5	10.0	11	^	^	^	^
Lip	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Floor of Mouth	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	0.0	0.0	1.9	0
Tonsil	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Oropharynx	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Hypopharynx	0.0	0.0	2.6	0	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.9	0
Digestive System	63.2	47.9	81.3	85	31.4	22.8	41.9	50
Esophagus	^	^	^	^	^	^	^	^
Stomach	6.9	3.3	12.8	13	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	1.9	0
Colon and Rectum	20.7	12.4	31.7	29	14.1	8.5	21.5	23
Colon excluding Rectum	16.3	9.3	25.8	23	11.1	6.3	17.7	19
Rectum and Rectosigmoid Junction	4.4	1.0	11.2	6	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	1.9	0
Liver and Intrahepatic Bile Duct	9.5	3.7	18.5	11	^	^	^	^
Liver	8.0	2.8	16.5	10	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	0.0	0.0	1.9	0
Pancreas	16.6	9.4	26.5	21	8.3	4.3	14.2	14
Retroperitoneum	^	^	^	^	0.0	0.0	1.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Other Digestive Organs	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Respiratory System	79.8	65.0	96.5	129	42.2	32.3	53.8	69
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.6	0	^	^	^	^
Larynx	5.5	1.4	12.8	6	0.0	0.0	1.9	0
Lung and Bronchus	74.3	60.5	90.0	123	41.3	31.6	52.8	68
Pleura	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Bones and Joints	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

1997

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	0.0	0.0	2.6	0	23.2	16.2	32.1	41
Female Genital System	0.0	0.0	2.6	0	24.5	17.1	33.6	41
Cervix Uteri	0.0	0.0	2.6	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	2.6	0	5.2	2.0	10.6	7
Corpus Uteri	0.0	0.0	2.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	2.6	0	^	^	^	^
Ovary	0.0	0.0	2.6	0	16.9	10.9	24.6	28
Vagina	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Vulva	0.0	0.0	2.6	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	2.6	0	^	^	^	^
Male Genital System	24.5	13.8	38.8	22	0.0	0.0	1.9	0
Prostate	24.2	13.6	38.5	21	0.0	0.0	1.9	0
Testis	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Penis	^	^	^	^	0.0	0.0	1.9	0
Other Male Genital Organs	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Urinary System	14.3	6.9	25.1	15	4.7	1.9	9.3	8
Urinary Bladder	9.5	3.6	18.9	8	^	^	^	^
Kidney and Renal Pelvis	4.8	1.3	11.5	7	^	^	^	^
Ureter	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Other Urinary Organs	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Eye and Orbit	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Brain and Other Nervous System	6.0	2.5	11.8	11	^	^	^	^
Endocrine System	0.0	0.0	2.6	0	^	^	^	^
Thyroid	0.0	0.0	2.6	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Lymphoma	6.0	2.9	11.0	12	6.1	2.7	11.4	10
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	1.9	0
Non-Hodgkin Lymphoma	5.1	2.2	9.9	10	6.1	2.7	11.4	10
Myeloma	^	^	^	^	^	^	^	^
Leukemia	5.1	2.4	9.8	12	7.3	3.3	13.3	11
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

1997

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	0.0	0.0	2.6	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Myeloid and Monocytic Leukemia	3.3	1.1	7.8	6	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	0.0	0.0	2.6	0	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	2.6	0	0.0	0.0	1.9	0
Miscellaneous Malignant Cancer	14.7	9.1	22.4	26	17.0	10.6	25.4	24

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

1998

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	234.8	206.9	265.0	353	172.9	152.5	195.1	296
Oral Cavity and Pharynx	6.1	2.5	12.1	10	^	^	^	^
Lip	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Tongue	0.0	0.0	2.4	0	^	^	^	^
Salivary Gland	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Floor of Mouth	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	1.8	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	1.8	0
Oropharynx	^	^	^	^	0.0	0.0	1.8	0
Hypopharynx	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.8	0
Digestive System	59.7	46.9	74.6	101	41.8	31.9	53.6	68
Esophagus	10.4	5.2	18.1	16	5.8	2.6	10.9	10
Stomach	11.3	6.1	18.7	20	5.7	2.7	10.3	12
Small Intestine	0.0	0.0	2.4	0	^	^	^	^
Colon and Rectum	16.0	9.9	24.1	27	17.7	11.1	26.3	25
Colon excluding Rectum	11.9	6.9	18.9	21	15.8	9.6	24.1	22
Rectum and Rectosigmoid Junction	4.1	1.2	9.3	6	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	2.4	0	^	^	^	^
Liver and Intrahepatic Bile Duct	9.0	4.9	15.2	16	^	^	^	^
Liver	6.6	3.3	11.8	13	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	0.0	0.0	1.8	0
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	11.1	6.0	18.4	19	6.8	3.4	11.9	12
Retroperitoneum	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Other Digestive Organs	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Respiratory System	74.1	59.7	90.6	115	52.4	41.5	65.0	88
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.4	0	^	^	^	^
Larynx	4.1	1.2	9.3	6	^	^	^	^
Lung and Bronchus	70.1	56.1	86.1	109	51.3	40.5	63.8	86
Pleura	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Bones and Joints	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

1998

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	2.6	0.8	6.3	6	^	^	^	^
Melanoma of the Skin	2.6	0.8	6.3	6	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Breast	0.0	0.0	2.4	0	25.3	18.1	34.0	49
Female Genital System	0.0	0.0	2.4	0	14.0	8.6	21.2	24
Cervix Uteri	0.0	0.0	2.4	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	2.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	2.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	2.4	0	^	^	^	^
Ovary	0.0	0.0	2.4	0	7.4	3.7	12.8	13
Vagina	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Vulva	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Other Female Genital Organs	0.0	0.0	2.4	0	^	^	^	^
Male Genital System	24.8	15.8	36.3	30	0.0	0.0	1.8	0
Prostate	24.5	15.6	36.0	29	0.0	0.0	1.8	0
Testis	^	^	^	^	0.0	0.0	1.8	0
Penis	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Other Male Genital Organs	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Urinary System	15.2	8.6	24.2	20	5.5	2.4	10.6	9
Urinary Bladder	8.8	3.9	16.3	11	4.9	1.9	10.0	7
Kidney and Renal Pelvis	6.4	2.6	12.5	9	^	^	^	^
Ureter	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Other Urinary Organs	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Eye and Orbit	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Brain and Other Nervous System	4.6	2.2	8.9	11	3.3	1.1	7.3	6
Endocrine System	0.0	0.0	2.4	0	^	^	^	^
Thyroid	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Other Endocrine including Thymus	0.0	0.0	2.4	0	^	^	^	^
Lymphoma	17.3	9.6	28.0	23	6.7	3.2	12.1	11
Hodgkin Lymphoma	0.0	0.0	2.4	0	^	^	^	^
Non-Hodgkin Lymphoma	17.3	9.6	28.0	23	6.1	2.7	11.3	10
Myeloma	^	^	^	^	^	^	^	^
Leukemia	14.2	6.9	24.8	16	4.5	1.8	9.1	8
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

1998

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Myeloid and Monocytic Leukemia	7.1	2.5	14.6	9	3.4	1.1	7.6	6
Acute Myeloid Leukemia	4.1	1.2	9.5	7	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	1.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	2.4	0	0.0	0.0	1.8	0
Miscellaneous Malignant Cancer	12.1	5.8	21.1	15	10.7	6.1	17.2	17

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

1999

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	222.4	195.0	252.2	328	167.8	147.9	189.4	294
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Floor of Mouth	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Gum and Other Mouth	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Oropharynx	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Hypopharynx	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Other Oral Cavity and Pharynx	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Digestive System	56.1	42.6	71.8	81	45.7	35.4	57.7	77
Esophagus	5.9	2.6	11.3	10	^	^	^	^
Stomach	7.8	3.9	13.7	13	4.7	2.3	8.7	11
Small Intestine	0.0	0.0	2.3	0	^	^	^	^
Colon and Rectum	22.7	14.0	34.0	29	20.4	13.6	29.0	32
Colon excluding Rectum	19.8	11.7	30.7	25	15.1	9.3	22.7	24
Rectum and Rectosigmoid Junction	^	^	^	^	5.3	2.2	10.3	8
Anus, Anal Canal and Anorectum	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Liver and Intrahepatic Bile Duct	5.1	1.9	10.6	8	3.5	1.4	7.3	8
Liver	4.8	1.7	10.3	7	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	0.0	0.0	2.3	0	^	^	^	^
Other Biliary	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Pancreas	14.5	8.1	23.5	21	12.1	7.1	19.0	19
Retroperitoneum	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Other Digestive Organs	0.0	0.0	2.3	0	^	^	^	^
Respiratory System	69.1	54.7	85.7	107	43.6	33.7	55.2	73
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	68.0	53.7	84.5	105	42.8	33.1	54.3	72
Pleura	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Bones and Joints	0.0	0.0	2.3	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

1999

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	4.7	1.7	9.9	8	^	^	^	^
Melanoma of the Skin	3.4	0.9	8.0	6	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	1.8	0
Breast	0.0	0.0	2.3	0	20.7	14.6	28.4	43
Female Genital System	0.0	0.0	2.3	0	8.9	4.9	14.6	17
Cervix Uteri	0.0	0.0	2.3	0	2.8	0.9	6.4	6
Corpus and Uterus, NOS	0.0	0.0	2.3	0	^	^	^	^
Corpus Uteri	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Uterus, NOS	0.0	0.0	2.3	0	^	^	^	^
Ovary	0.0	0.0	2.3	0	4.0	1.5	8.3	7
Vagina	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Vulva	0.0	0.0	2.3	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	2.3	0	^	^	^	^
Male Genital System	21.6	12.7	33.5	21	0.0	0.0	1.8	0
Prostate	21.1	12.2	32.9	20	0.0	0.0	1.8	0
Testis	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Penis	^	^	^	^	0.0	0.0	1.8	0
Other Male Genital Organs	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Urinary System	16.1	8.8	26.1	18	6.2	2.8	11.6	9
Urinary Bladder	^	^	^	^	^	^	^	^
Kidney and Renal Pelvis	9.9	4.7	17.6	13	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	1.8	0
Other Urinary Organs	0.0	0.0	2.3	0	^	^	^	^
Eye and Orbit	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Brain and Other Nervous System	4.2	1.9	8.2	10	4.5	2.1	8.5	10
Endocrine System	^	^	^	^	0.0	0.0	1.8	0
Thyroid	^	^	^	^	0.0	0.0	1.8	0
Other Endocrine including Thymus	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Lymphoma	10.3	5.3	17.4	18	3.6	1.2	7.9	6
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	1.8	0
Non-Hodgkin Lymphoma	9.6	4.7	16.7	16	3.6	1.2	7.9	6
Myeloma	5.8	2.0	12.2	8	4.4	1.7	8.8	7
Leukemia	7.4	3.0	14.4	10	6.3	2.8	11.6	11
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

1999

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.3	0	0.0	0.0	1.8	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	1.8	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	2.3	0	^	^	^	^
Mesothelioma (ICD-10 only)	5.7	1.9	12.3	7	^	^	^	^
Miscellaneous Malignant Cancer	17.7	11.4	26.1	33	19.6	13.1	27.8	32

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2000

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	247.2	218.9	277.6	374	185.1	164.7	207.0	334
Oral Cavity and Pharynx	8.2	4.4	13.7	17	3.2	1.1	6.9	6
Lip	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Tongue	^	^	^	^	0.0	0.0	1.7	0
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	1.7	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	1.7	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	1.7	0
Oropharynx	^	^	^	^	^	^	^	^
Hypopharynx	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Digestive System	64.8	50.7	81.1	99	39.0	29.6	50.0	63
Esophagus	9.0	5.0	14.7	18	^	^	^	^
Stomach	7.3	2.9	14.2	9	^	^	^	^
Small Intestine	0.0	0.0	2.2	0	^	^	^	^
Colon and Rectum	32.2	21.6	45.5	39	16.9	10.8	24.8	25
Colon excluding Rectum	26.2	16.6	38.6	31	14.2	8.7	21.6	21
Rectum and Rectosigmoid Junction	6.0	2.4	11.9	8	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	2.2	0	^	^	^	^
Liver and Intrahepatic Bile Duct	8.1	4.5	13.4	16	5.0	2.1	9.7	8
Liver	6.7	3.4	11.7	13	4.4	1.7	8.8	7
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	6.7	3.4	11.8	14	9.1	5.2	14.7	17
Retroperitoneum	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Other Digestive Organs	^	^	^	^	0.0	0.0	1.7	0
Respiratory System	74.2	59.6	90.8	113	52.6	42.2	64.6	96
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Larynx	^	^	^	^	0.0	0.0	1.7	0
Lung and Bronchus	72.7	58.2	89.2	110	51.7	41.4	63.5	95
Pleura	0.0	0.0	2.2	0	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	1.7	0
Bones and Joints	0.0	0.0	2.2	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2000

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Breast	0.0	0.0	2.2	0	28.0	21.0	36.5	61
Female Genital System	0.0	0.0	2.2	0	13.9	9.0	20.3	28
Cervix Uteri	0.0	0.0	2.2	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	2.2	0	3.5	1.4	7.3	7
Corpus Uteri	0.0	0.0	2.2	0	^	^	^	^
Uterus, NOS	0.0	0.0	2.2	0	^	^	^	^
Ovary	0.0	0.0	2.2	0	8.4	4.6	13.7	16
Vagina	0.0	0.0	2.2	0	^	^	^	^
Vulva	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Other Female Genital Organs	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Male Genital System	31.8	20.8	45.6	33	0.0	0.0	1.7	0
Prostate	31.2	20.3	45.0	31	0.0	0.0	1.7	0
Testis	^	^	^	^	0.0	0.0	1.7	0
Penis	^	^	^	^	0.0	0.0	1.7	0
Other Male Genital Organs	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Urinary System	15.6	9.3	24.0	24	5.5	2.3	10.7	8
Urinary Bladder	9.3	4.2	17.0	10	^	^	^	^
Kidney and Renal Pelvis	6.2	3.2	10.9	14	^	^	^	^
Ureter	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Other Urinary Organs	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Eye and Orbit	^	^	^	^	0.0	0.0	1.7	0
Brain and Other Nervous System	2.8	0.9	6.6	6	3.0	1.1	6.4	7
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Lymphoma	10.7	5.7	17.7	19	10.1	5.5	16.4	16
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	1.7	0
Non-Hodgkin Lymphoma	10.4	5.4	17.5	18	10.1	5.5	16.4	16
Myeloma	^	^	^	^	5.0	2.1	9.7	8
Leukemia	8.7	4.2	15.3	15	7.6	3.6	13.4	11
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2000

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.2	0	^	^	^	^
Myeloid and Monocytic Leukemia	7.0	2.9	13.3	11	^	^	^	^
Acute Myeloid Leukemia	6.7	2.7	13.0	10	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.2	0	0.0	0.0	1.7	0
Other Leukemia	0.0	0.0	2.2	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	2.2	0	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	2.2	0	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	1.7	0
Miscellaneous Malignant Cancer	18.7	11.6	28.0	30	13.4	8.2	20.3	22

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2001

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	232.5	206.1	261.0	371	164.6	145.9	184.9	309
Oral Cavity and Pharynx	10.2	5.2	17.5	14	^	^	^	^
Lip	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Tongue	^	^	^	^	0.0	0.0	1.6	0
Salivary Gland	^	^	^	^	0.0	0.0	1.6	0
Floor of Mouth	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	1.6	0
Nasopharynx	^	^	^	^	0.0	0.0	1.6	0
Tonsil	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Oropharynx	^	^	^	^	0.0	0.0	1.6	0
Hypopharynx	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Digestive System	62.5	49.6	77.3	109	45.2	35.4	56.5	78
Esophagus	6.9	3.5	12.0	13	^	^	^	^
Stomach	12.1	6.1	20.7	15	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	27.0	18.7	37.3	46	19.2	13.0	27.1	32
Colon excluding Rectum	21.7	14.3	31.1	34	14.1	8.8	21.1	23
Rectum and Rectosigmoid Junction	5.3	2.1	10.4	12	5.1	2.2	9.6	9
Anus, Anal Canal and Anorectum	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Liver and Intrahepatic Bile Duct	5.6	3.0	9.6	15	6.7	3.3	11.9	11
Liver	5.0	2.6	8.7	14	4.5	1.8	8.9	7
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	0.0	0.0	2.1	0	^	^	^	^
Other Biliary	^	^	^	^	0.0	0.0	1.6	0
Pancreas	9.0	4.9	15.0	17	12.5	7.7	18.8	23
Retroperitoneum	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Other Digestive Organs	0.0	0.0	2.1	0	^	^	^	^
Respiratory System	65.4	52.2	80.5	108	47.7	37.9	59.0	89
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Larynx	0.0	0.0	2.1	0	^	^	^	^
Lung and Bronchus	65.4	52.2	80.5	108	47.2	37.5	58.5	88
Pleura	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Bones and Joints	0.0	0.0	2.1	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2001

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	21.4	15.1	29.1	45
Female Genital System	0.0	0.0	2.1	0	15.0	9.7	21.8	28
Cervix Uteri	0.0	0.0	2.1	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	2.1	0	^	^	^	^
Corpus Uteri	0.0	0.0	2.1	0	^	^	^	^
Uterus, NOS	0.0	0.0	2.1	0	^	^	^	^
Ovary	0.0	0.0	2.1	0	7.2	3.8	12.1	14
Vagina	0.0	0.0	2.1	0	^	^	^	^
Vulva	0.0	0.0	2.1	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	2.1	0	^	^	^	^
Male Genital System	25.7	16.6	37.4	32	0.0	0.0	1.6	0
Prostate	25.5	16.4	37.1	31	0.0	0.0	1.6	0
Testis	^	^	^	^	0.0	0.0	1.6	0
Penis	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Other Male Genital Organs	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Urinary System	13.9	7.8	22.4	19	4.8	2.0	9.3	8
Urinary Bladder	8.6	3.9	15.7	10	^	^	^	^
Kidney and Renal Pelvis	5.3	1.9	10.9	9	^	^	^	^
Ureter	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Other Urinary Organs	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Eye and Orbit	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Brain and Other Nervous System	6.9	3.1	12.8	13	2.6	1.1	5.4	8
Endocrine System	^	^	^	^	0.0	0.0	1.6	0
Thyroid	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	1.6	0
Lymphoma	8.0	3.8	14.4	14	5.2	2.4	9.6	10
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	7.5	3.4	13.8	13	4.9	2.1	9.2	9
Myeloma	5.6	2.2	11.1	8	4.0	1.6	8.2	7
Leukemia	6.1	2.8	11.4	10	4.7	2.0	9.0	9
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	2.1	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2001

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.6	0
Other Lymphocytic Leukemia	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Myeloid and Monocytic Leukemia	4.2	1.4	9.0	6	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Chronic Myeloid Leukemia	0.0	0.0	2.1	0	0.0	0.0	1.6	0
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^
Other Leukemia	0.0	0.0	2.1	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	2.1	0	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	2.1	0	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	1.6	0
Miscellaneous Malignant Cancer	20.2	13.0	29.4	30	11.6	7.0	17.9	21

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2002

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	233.0	207.2	260.8	396	157.6	139.8	176.9	316
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	^	^	^	^	0.0	0.0	1.6	0
Tongue	^	^	^	^	0.0	0.0	1.6	0
Salivary Gland	0.0	0.0	1.9	0	^	^	^	^
Floor of Mouth	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Gum and Other Mouth	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Oropharynx	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Hypopharynx	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Other Oral Cavity and Pharynx	0.0	0.0	1.9	0	^	^	^	^
Digestive System	57.5	45.9	70.9	109	39.3	30.6	49.6	75
Esophagus	9.6	5.1	16.0	15	^	^	^	^
Stomach	8.8	4.6	14.9	15	5.1	2.4	9.4	10
Small Intestine	^	^	^	^	0.0	0.0	1.6	0
Colon and Rectum	18.9	12.6	27.1	36	16.2	10.7	23.2	30
Colon excluding Rectum	14.6	9.0	22.0	27	13.0	8.1	19.6	23
Rectum and Rectosigmoid Junction	4.4	1.7	8.8	9	3.2	1.2	6.6	7
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	6.3	3.3	10.7	16	^	^	^	^
Liver	5.1	2.4	9.3	13	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	0.0	0.0	1.9	0	^	^	^	^
Pancreas	11.3	6.6	17.9	23	9.0	5.2	14.3	19
Retroperitoneum	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	67.3	54.5	82.0	122	38.6	30.1	48.5	78
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Larynx	^	^	^	^	0.0	0.0	1.6	0
Lung and Bronchus	65.2	52.6	79.6	119	38.6	30.1	48.5	78
Pleura	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Bones and Joints	^	^	^	^	0.0	0.0	1.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2002

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	3.9	1.8	7.6	11	3.1	1.0	6.9	6
Melanoma of the Skin	2.7	1.0	5.9	8	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	0.0	0.0	1.9	0	21.0	15.1	28.4	47
Female Genital System	0.0	0.0	1.9	0	17.3	11.9	24.2	37
Cervix Uteri	0.0	0.0	1.9	0	2.5	0.9	5.5	6
Corpus and Uterus, NOS	0.0	0.0	1.9	0	4.6	2.0	8.8	9
Corpus Uteri	0.0	0.0	1.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	1.9	0	^	^	^	^
Ovary	0.0	0.0	1.9	0	7.8	4.4	12.7	17
Vagina	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Vulva	0.0	0.0	1.9	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	1.9	0	^	^	^	^
Male Genital System	39.4	27.3	54.1	39	0.0	0.0	1.6	0
Prostate	39.4	27.3	54.1	39	0.0	0.0	1.6	0
Testis	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Penis	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Other Male Genital Organs	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Urinary System	14.6	9.1	22.0	24	^	^	^	^
Urinary Bladder	6.7	3.1	12.3	10	^	^	^	^
Kidney and Renal Pelvis	6.9	3.4	12.3	12	^	^	^	^
Ureter	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Other Urinary Organs	^	^	^	^	^	^	^	^
Eye and Orbit	0.0	0.0	1.9	0	^	^	^	^
Brain and Other Nervous System	3.9	1.9	7.4	11	3.8	1.7	7.5	9
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	0.0	0.0	1.9	0	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	10.8	6.0	17.6	20	7.0	3.6	12.1	12
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	10.6	5.8	17.4	19	5.7	2.7	10.3	10
Myeloma	3.8	1.5	7.9	8	2.7	0.9	6.0	6
Leukemia	10.3	5.1	17.8	15	3.7	1.4	7.5	7
Lymphocytic Leukemia	4.7	1.5	10.3	7	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2002

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.6	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	1.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	1.6	0
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	1.6	0
Miscellaneous Malignant Cancer	14.1	8.2	22.2	24	15.5	10.1	22.4	28

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~
Statistic could not be calculated.

^
Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2003

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	229.0	204.3	255.5	410	157.2	139.6	176.2	322
Oral Cavity and Pharynx	2.8	1.0	6.2	7	6.4	3.2	11.1	12
Lip	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Tongue	^	^	^	^	0.0	0.0	1.5	0
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	1.5	0
Nasopharynx	0.0	0.0	1.8	0	^	^	^	^
Tonsil	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Oropharynx	^	^	^	^	^	^	^	^
Hypopharynx	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Digestive System	62.3	49.5	76.9	110	39.3	30.7	49.4	78
Esophagus	9.6	5.1	16.0	19	^	^	^	^
Stomach	5.6	2.6	10.3	11	3.9	1.6	7.8	8
Small Intestine	0.0	0.0	1.8	0	^	^	^	^
Colon and Rectum	18.4	11.7	27.1	30	18.0	12.3	25.3	35
Colon excluding Rectum	16.2	9.8	24.6	25	13.8	9.0	20.2	28
Rectum and Rectosigmoid Junction	^	^	^	^	4.2	1.7	8.4	7
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	11.0	6.0	18.0	19	4.8	2.2	8.9	10
Liver	9.8	5.0	16.6	16	3.0	1.1	6.4	7
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	0.0	0.0	1.5	0
Other Biliary	^	^	^	^	0.0	0.0	1.5	0
Pancreas	15.2	9.1	23.3	25	7.7	4.2	12.6	15
Retroperitoneum	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.8	0	^	^	^	^
Other Digestive Organs	0.0	0.0	1.8	0	^	^	^	^
Respiratory System	77.1	63.6	92.4	139	38.4	29.9	48.3	75
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Larynx	^	^	^	^	0.0	0.0	1.5	0
Lung and Bronchus	76.8	63.3	92.1	138	38.4	29.9	48.3	75
Pleura	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Bones and Joints	^	^	^	^	0.0	0.0	1.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2003

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	2.0	0.7	4.6	6	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	1.5	0
Breast	0.0	0.0	1.8	0	22.8	16.8	30.2	54
Female Genital System	0.0	0.0	1.8	0	10.0	6.0	15.4	21
Cervix Uteri	0.0	0.0	1.8	0	3.2	1.2	6.7	7
Corpus and Uterus, NOS	0.0	0.0	1.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	1.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	1.8	0	^	^	^	^
Ovary	0.0	0.0	1.8	0	3.2	1.3	6.5	8
Vagina	0.0	0.0	1.8	0	^	^	^	^
Vulva	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Other Female Genital Organs	0.0	0.0	1.8	0	^	^	^	^
Male Genital System	15.6	9.1	24.4	21	0.0	0.0	1.5	0
Prostate	15.6	9.1	24.4	21	0.0	0.0	1.5	0
Testis	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Penis	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Other Male Genital Organs	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Urinary System	20.4	12.9	29.9	28	7.4	3.9	12.7	13
Urinary Bladder	12.1	6.4	20.0	16	^	^	^	^
Kidney and Renal Pelvis	7.5	3.5	13.6	11	4.4	1.8	8.6	8
Ureter	^	^	^	^	0.0	0.0	1.5	0
Other Urinary Organs	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Eye and Orbit	^	^	^	^	0.0	0.0	1.5	0
Brain and Other Nervous System	3.5	1.4	7.2	9	5.2	2.4	9.6	10
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	0.0	0.0	1.5	0
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	8.2	4.5	13.7	19	6.2	3.1	10.8	12
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	7.4	3.8	12.8	16	5.2	2.4	9.5	10
Myeloma	2.7	0.8	6.2	6	3.3	1.3	6.7	7
Leukemia	9.0	4.5	15.4	16	3.9	1.6	7.8	8
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	1.8	0	0.0	0.0	1.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2003

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.5	0
Other Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	3.8	1.7	7.4	10	^	^	^	^
Acute Myeloid Leukemia	2.8	1.2	5.8	8	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	1.5	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	0.0	0.0	1.8	0	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	^	^	^	^
Miscellaneous Malignant Cancer	20.4	13.4	29.4	37	11.6	7.2	17.4	25

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2004

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	225.6	201.7	251.3	411	149.8	132.8	168.1	312
Oral Cavity and Pharynx	2.5	0.8	5.8	6	3.7	1.4	7.4	7
Lip	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Tongue	0.0	0.0	1.8	0	^	^	^	^
Salivary Gland	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Floor of Mouth	^	^	^	^	0.0	0.0	1.5	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Oropharynx	^	^	^	^	0.0	0.0	1.5	0
Hypopharynx	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Digestive System	60.7	48.7	74.5	113	34.1	26.1	43.5	66
Esophagus	7.3	3.5	12.9	15	^	^	^	^
Stomach	7.7	3.8	13.4	13	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	1.5	0
Colon and Rectum	20.5	13.6	29.2	35	12.9	8.1	19.1	24
Colon excluding Rectum	18.7	12.1	27.2	31	11.0	6.5	16.9	19
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Liver and Intrahepatic Bile Duct	9.6	5.5	15.3	21	6.7	3.5	11.4	13
Liver	6.8	3.5	11.7	15	4.6	2.0	8.7	9
Intrahepatic Bile Duct	2.8	0.8	6.5	6	^	^	^	^
Gallbladder	^	^	^	^	0.0	0.0	1.5	0
Other Biliary	0.0	0.0	1.8	0	^	^	^	^
Pancreas	13.5	8.4	20.3	26	7.5	4.1	12.4	15
Retroperitoneum	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.8	0	^	^	^	^
Other Digestive Organs	0.0	0.0	1.8	0	^	^	^	^
Respiratory System	67.0	54.8	80.8	125	51.2	41.5	62.2	106
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	1.5	0
Larynx	^	^	^	^	0.0	0.0	1.5	0
Lung and Bronchus	66.5	54.3	80.3	123	50.5	40.9	61.5	105
Pleura	0.0	0.0	1.8	0	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Bones and Joints	^	^	^	^	0.0	0.0	1.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2004

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	3.6	1.4	7.4	8	^	^	^	^
Melanoma of the Skin	3.6	1.4	7.4	8	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Breast	0.0	0.0	1.8	0	18.2	12.9	24.9	43
Female Genital System	0.0	0.0	1.8	0	12.2	7.8	18.0	27
Cervix Uteri	0.0	0.0	1.8	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	1.8	0	3.3	1.2	6.8	7
Corpus Uteri	0.0	0.0	1.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	1.8	0	^	^	^	^
Ovary	0.0	0.0	1.8	0	5.3	2.5	9.4	11
Vagina	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Vulva	0.0	0.0	1.8	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	1.8	0	^	^	^	^
Male Genital System	25.6	17.0	36.4	33	0.0	0.0	1.5	0
Prostate	25.3	16.7	36.1	32	0.0	0.0	1.5	0
Testis	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Penis	^	^	^	^	0.0	0.0	1.5	0
Other Male Genital Organs	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Urinary System	14.9	9.0	22.7	25	3.9	1.5	7.9	7
Urinary Bladder	10.9	5.7	18.3	14	^	^	^	^
Kidney and Renal Pelvis	4.0	1.8	7.6	11	^	^	^	^
Ureter	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Other Urinary Organs	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Eye and Orbit	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Brain and Other Nervous System	6.4	3.6	10.7	18	2.4	0.8	5.4	6
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	0.0	0.0	1.8	0	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	4.8	1.9	9.5	10	4.1	1.7	7.9	8
Hodgkin Lymphoma	0.0	0.0	1.8	0	^	^	^	^
Non-Hodgkin Lymphoma	4.8	1.9	9.5	10	3.2	1.1	6.7	6
Myeloma	2.9	0.9	6.6	6	3.3	1.2	7.0	6
Leukemia	7.9	4.3	13.0	17	^	^	^	^
Lymphocytic Leukemia	4.7	1.9	9.2	8	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2004

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Myeloid and Monocytic Leukemia	2.6	0.9	5.7	7	^	^	^	^
Acute Myeloid Leukemia	2.6	0.9	5.7	7	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Chronic Myeloid Leukemia	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Other Leukemia	^	^	^	^	0.0	0.0	1.5	0
Other Acute Leukemia	0.0	0.0	1.8	0	0.0	0.0	1.5	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	1.5	0
Mesothelioma (ICD-10 only)	^	^	^	^	0.0	0.0	1.5	0
Miscellaneous Malignant Cancer	23.2	15.7	32.6	38	11.6	7.2	17.4	24

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2005

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	204.9	182.7	228.8	400	142.6	126.7	159.8	323
Oral Cavity and Pharynx	3.1	1.2	6.4	8	^	^	^	^
Lip	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Tongue	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Salivary Gland	^	^	^	^	0.0	0.0	1.4	0
Floor of Mouth	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Gum and Other Mouth	0.0	0.0	1.7	0	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	1.4	0
Oropharynx	^	^	^	^	0.0	0.0	1.4	0
Hypopharynx	^	^	^	^	0.0	0.0	1.4	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.4	0
Digestive System	54.4	43.0	67.5	103	29.8	22.8	38.2	66
Esophagus	7.3	4.0	12.2	18	^	^	^	^
Stomach	4.1	1.6	8.4	8	4.1	1.9	7.7	10
Small Intestine	0.0	0.0	1.7	0	^	^	^	^
Colon and Rectum	22.3	15.1	31.3	39	9.1	5.4	14.2	20
Colon excluding Rectum	18.0	11.4	26.5	30	6.2	3.3	10.5	14
Rectum and Rectosigmoid Junction	4.3	1.8	8.3	9	2.9	1.0	6.3	6
Anus, Anal Canal and Anorectum	0.0	0.0	1.7	0	^	^	^	^
Liver and Intrahepatic Bile Duct	7.8	4.1	13.2	16	3.6	1.6	7.1	9
Liver	7.1	3.5	12.4	14	2.5	0.9	5.6	6
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	0.0	0.0	1.4	0
Pancreas	10.5	5.7	17.1	18	8.1	4.5	13.1	16
Retroperitoneum	^	^	^	^	0.0	0.0	1.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.7	0	^	^	^	^
Other Digestive Organs	0.0	0.0	1.7	0	^	^	^	^
Respiratory System	58.8	47.7	71.6	122	43.6	34.8	53.8	92
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Larynx	^	^	^	^	0.0	0.0	1.4	0
Lung and Bronchus	57.6	46.5	70.2	120	43.6	34.8	53.8	92
Pleura	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Bones and Joints	^	^	^	^	0.0	0.0	1.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2005

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	^	^	^	^	0.0	0.0	1.4	0
Skin excluding Basal and Squamous	4.5	2.1	8.2	11	^	^	^	^
Melanoma of the Skin	2.6	1.0	5.5	7	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	1.4	0
Breast	0.0	0.0	1.7	0	17.3	12.4	23.4	46
Female Genital System	0.0	0.0	1.7	0	9.9	6.3	14.9	26
Cervix Uteri	0.0	0.0	1.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	1.7	0	^	^	^	^
Corpus Uteri	0.0	0.0	1.7	0	^	^	^	^
Uterus, NOS	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Ovary	0.0	0.0	1.7	0	6.8	3.8	11.1	17
Vagina	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Vulva	0.0	0.0	1.7	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	1.7	0	^	^	^	^
Male Genital System	25.9	17.6	36.2	35	0.0	0.0	1.4	0
Prostate	24.5	16.5	34.6	33	0.0	0.0	1.4	0
Testis	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Penis	^	^	^	^	0.0	0.0	1.4	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	1.4	0
Urinary System	12.2	7.2	18.9	24	^	^	^	^
Urinary Bladder	6.4	2.9	11.9	11	^	^	^	^
Kidney and Renal Pelvis	5.8	2.7	10.4	13	^	^	^	^
Ureter	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Other Urinary Organs	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Eye and Orbit	^	^	^	^	0.0	0.0	1.4	0
Brain and Other Nervous System	5.1	2.6	8.9	14	2.3	0.8	5.2	6
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	0.0	0.0	1.4	0
Other Endocrine including Thymus	0.0	0.0	1.7	0	^	^	^	^
Lymphoma	9.9	5.5	16.2	19	4.9	2.3	8.7	11
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	1.4	0
Non-Hodgkin Lymphoma	9.7	5.3	15.9	18	4.9	2.3	8.7	11
Myeloma	^	^	^	^	4.1	1.8	7.8	9
Leukemia	8.1	4.0	14.1	15	8.6	5.0	13.6	19
Lymphocytic Leukemia	4.5	1.6	9.4	8	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2005

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.4	0
Myeloid and Monocytic Leukemia	^	^	^	^	3.7	1.6	7.1	9
Acute Myeloid Leukemia	^	^	^	^	3.4	1.4	6.8	8
Acute Monocytic Leukemia	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.7	0	0.0	0.0	1.4	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	^	^	^	^
Miscellaneous Malignant Cancer	15.6	10.4	22.5	34	15.9	10.8	22.4	33

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2006

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	190.4	170.1	212.3	404	164.3	147.3	182.5	377
Oral Cavity and Pharynx	2.9	1.1	6.2	7	^	^	^	^
Lip	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Tongue	0.0	0.0	1.6	0	^	^	^	^
Salivary Gland	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Floor of Mouth	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	1.4	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	1.4	0
Oropharynx	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Hypopharynx	0.0	0.0	1.6	0	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.4	0
Digestive System	52.2	42.3	63.5	122	39.1	30.9	48.7	83
Esophagus	7.8	4.5	12.5	21	3.0	1.1	6.3	7
Stomach	5.0	2.6	8.6	15	2.9	1.1	6.1	7
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	18.1	12.3	25.5	38	15.5	10.4	22.0	31
Colon excluding Rectum	15.4	10.1	22.2	32	13.9	9.0	20.1	27
Rectum and Rectosigmoid Junction	2.8	0.9	6.2	6	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	1.6	0	^	^	^	^
Liver and Intrahepatic Bile Duct	8.9	5.0	14.3	21	^	^	^	^
Liver	7.7	4.1	12.9	17	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	0.0	0.0	1.4	0
Pancreas	10.4	6.1	16.2	22	12.5	8.0	18.3	26
Retroperitoneum	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Other Digestive Organs	0.0	0.0	1.6	0	^	^	^	^
Respiratory System	51.2	41.2	62.8	111	44.2	35.5	54.2	97
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.6	0	^	^	^	^
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	50.4	40.4	61.9	108	43.3	34.8	53.3	95
Pleura	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Bones and Joints	0.0	0.0	1.6	0	0.0	0.0	1.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2006

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Soft Tissue including Heart	3.1	1.1	6.6	9	^	^	^	^
Skin excluding Basal and Squamous	3.5	1.6	6.8	10	^	^	^	^
Melanoma of the Skin	2.9	1.2	6.1	8	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	0.0	0.0	1.6	0	26.8	20.7	34.1	73
Female Genital System	0.0	0.0	1.6	0	12.0	7.9	17.3	30
Cervix Uteri	0.0	0.0	1.6	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	1.6	0	2.7	0.9	6.0	6
Corpus Uteri	0.0	0.0	1.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	1.6	0	^	^	^	^
Ovary	0.0	0.0	1.6	0	6.9	3.9	11.1	18
Vagina	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Vulva	0.0	0.0	1.6	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Male Genital System	18.5	12.1	26.7	28	0.0	0.0	1.4	0
Prostate	18.5	12.1	26.7	28	0.0	0.0	1.4	0
Testis	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Penis	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Other Male Genital Organs	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Urinary System	12.4	7.7	18.6	25	2.8	1.0	6.1	6
Urinary Bladder	7.1	3.6	12.1	14	^	^	^	^
Kidney and Renal Pelvis	5.3	2.5	9.6	11	^	^	^	^
Ureter	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Other Urinary Organs	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Eye and Orbit	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Brain and Other Nervous System	5.7	2.5	10.5	12	3.1	1.2	6.4	7
Endocrine System	^	^	^	^	0.0	0.0	1.4	0
Thyroid	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	1.4	0
Lymphoma	6.9	3.3	12.2	14	7.4	4.1	12.2	15
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	1.4	0
Non-Hodgkin Lymphoma	6.6	3.1	11.9	13	7.4	4.1	12.2	15
Myeloma	2.8	1.0	6.1	7	3.8	1.6	7.4	8
Leukemia	13.0	7.8	19.8	25	6.3	3.3	10.7	14
Lymphocytic Leukemia	4.3	1.5	8.9	7	3.2	1.1	6.7	6
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Sex

2006

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	4.0	1.7	7.9	10	2.9	1.1	6.1	7
Acute Myeloid Leukemia	2.3	0.7	5.6	6	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.6	0	0.0	0.0	1.4	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^
Other Leukemia	4.6	1.8	9.2	8	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	1.4	0
Aleukemic, Subleukemic and NOS	3.9	1.4	8.3	7	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^	^	^	^	^
Miscellaneous Malignant Cancer	16.4	10.3	24.2	31	14.3	9.5	20.3	32

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~
Statistic could not be calculated.

^
Statistic not displayed due to fewer than 6 cases.